EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6098136".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:10
L2	0	(bus near2 switch$3) with interrupt with clock with (wait or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:11
L3	7	(bus near2 switch$3) same interrupt same clock same (wait or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:55
L4	13	(bus near2 switch$3) same interrupt same cycle same (wait or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:30
L5	235	(bus near2 switch$3) and (interrupt same cycle same (wait or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:20
L6	31417	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:20
L7	23	l5 and l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:22
L8	27168	"710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:22

EAST Search History

L9	86	l5 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:27
L10	2	"6584528"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:27
L11	8	"5408627".pn. or "5202856".pn. or "5208781".pn. or "6122699".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:50
L12	2	interrupt and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:37
L13	2	((successiv$3 or concecutiv$3 or subsequent) near3 (clock near2 cycle)) with interrupt with (wait$3 or delay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:54
L14	36	((successiv$3 or concecutiv$3 or subsequent) near3 (clock near2 cycle)) same interrupt same (wait$3 or delay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:55
L15	18868	(bus near2 switch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 10:17
L16	4035	((successiv$3 or concecutiv$3 or subsequent) near3 (clock near2 cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:58

EAST Search History

L17	165	l15 and l16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:55
L18	1	l15 same l16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:56
L19	42	l17 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:56
L20	488	l15 same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:56
L21	2	l20 and l16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:56
L22	14	((successiv$3 or concecutiv$3 or subsequent) near3 (clock near2 cycle)) with interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 09:59
L23	90	(bus near2 switch$3) with (clock near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 10:33
L24	2487	(bus near2 switch$3) and address and data and command and (interrupt or exception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 10:35

EAST Search History

L25	34	(bus near2 switch$3) same address same data same command same (interrupt or exception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 10:35
L26	10	(different near3 data near3 width) same l15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/23 11:41